

Unofficial MusicXML test suite

1 Introduction

Why a MusicXML test suite?

This test suite of sample MusicXML (<http://www.musicxml.org/>) files is supposed to fill a severe gap for all developers implementing MusicXML support in their application: There is no complete test suite of MusicXML files available for testing purposes.

Downloading the test suite

The complete set of MusicXML test files contained in this suite can be downloaded here ([MusicXML-TestSuite-0.1.zip](#)) as a ZIP archive.

License of the test suite

This collection of MusicXML test files is distributed under the MIT license (<http://www.opensource.org/licenses/mit-license.php>), which means that you can use the files for any purpose, as long as you leave the copyright notice (or the LICENSE file) intact.

Connection with LilyPond (<http://lilypond.org/>)

At the same time as providing a generic test suite for MusicXML document, this test suite also serves as proofs for the `musicxml2ly` script provided with LilyPond 2.20.0. The images shown in the Chapter 2 [Test cases], page 4, chapter were generated by running `musicxml2ly` and `lilypond` on the MusicXML files. As `musicxml2ly` does not yet perfectly support every single aspect of MusicXML, the output is not supposed to be used as a definitive reference rendering, but rather as an indication how one particular application supports and interprets each of the test files.

If something does not seem right in the output, it might either be that this feature has not been implemented yet, has been wrongly implemented, or a regression has crept in recently...

In the web version of this document, you can click on the file name or figure for each example to see the corresponding `.ly` intermediary file.

Structure of this test suite

Each test file (typically hand-crafted from the MusicXML "specification") checks one particular aspect of MusicXML. A short description of the particular feature for a file is given element inside the file in a comment element of the form:

```
<identification><miscellaneous>
  <miscellaneous-field name="description"> .... </miscellaneous-field>
</miscellaneous></identification>
```

The files are categorized by their first two digits with the following meaning:

- 01-03 ... Basics: Pitches, Rests, Rhythm
- 11-13 ... Staff attributes: Time signatures, Clefs, Key signatures
- 21-24 ... Note settings: Chorded notes, note heads, tuplets, grace notes
- 31-33 ... Notations and articulations: Dynamics (staff-attached), Notations (note-attached), Spanners
- 41-44 ... Parts: Multiple parts, multi-voice parts, multi-staff parts
- 45-46 ... Measure issues and repeats
- 51-52 ... Page issues: Header fields, page layout

- 55-59 ... Exact positioning of items, offsets, etc.
- 61-69 ... Vocal music
- 71-75 ... Instrument-specific: Guitar (Chord, fretboards), Transposing instruments, Percussion, Figured Bass, Others
- 81-89 ... MIDI generation (all sound-related issues)
- 90-99 ... Various Other: Compressed MusicXML files, compatibility with broken MusicXML files exported by other applications

Some of the categories (in particular the exact item positioning and the MIDI generation) don't have any test cases yet.


2 Test cases

01 ... Pitches

All pitches from G to c''' in ascending steps; First without accidentals, then with a sharp and then with a flat accidental. Double alterations and cautionary accidentals are tested at the end.

01a-Pitches-Pitches.xml

Pitches and accidentals




The musical notation for 'Pitches and accidentals' is presented in four systems, each on a single staff. The first system (measures 1-7) shows ascending eighth notes from G4 to G5 without accidentals. The second system (measures 8-13) shows ascending eighth notes from G4 to G5 with a sharp accidental. The third system (measures 14-19) shows ascending eighth notes from G4 to G5 with a flat accidental. The fourth system (measures 20-26) shows ascending eighth notes from G4 to G5 with a double sharp accidental, followed by a double flat accidental, and finally a cautionary sharp accidental.

All pitch intervals in ascending jump size.

01b-Pitches-Intervals.xml

Various pitches and interval sizes



The musical notation for 'Various pitches and interval sizes' is presented in two systems, each on a single staff. The first system (measures 1-10) shows a sequence of eighth notes with various accidentals (sharp, flat, double sharp, double flat) and interval sizes. The second system (measures 11-20) shows a sequence of eighth notes with various accidentals (sharp, flat, double sharp, double flat) and interval sizes.



The <voice> element of notes is optional in MusicXML (although Dolet always writes it out). Here, there is one note with lyrics, but without a voice assigned. It should still be correctly converted.

01c-Pitches-NoVoiceElement.xml



1. A

Some microtones: c flat-and-a-half, d half-flat, e half-sharp, f sharp-and-a half. Once in the lower and once in the upper region of the staff.

01d-Pitches-Microtones.xml



Accidentals can be cautionary or editorial. Each measure has a normal accidental, an editorial, a cautionary and an editorial and cautionary accidental.

01e-Pitches-ParenthesizedAccidentals.xml



Microtone accidentals can be cautionary or editorial. Each measure has a normal accidental, an editorial, a cautionary and an editorial and cautionary accidental.

01f-Pitches-ParenthesizedMicrotoneAccidentals.xml




02 ... Rests

All different rest lengths: A two-bar multi-measure rest, a whole rest, a half, etc. until a 128th-rest; Then the same with dotted durations.

02a-Rests-Durations.xml

Rest unit test




Rests can have explicit pitches, where they are displayed. The first rest uses no explicit position and should use the default position, all others are explicitly positioned somewhere else.

02b-Rests-PitchedRests.xml




Four multi-measure rests: 3 measures, 15 measures, 1 measure, and 12 measures.

02c-Rests-MultiMeasureRests.xml



Multi-Measure rests should always be converted into durations that are a multiple of the time signature.

02d-Rests-Multimeasure-TimeSignatures.xml



In some cases, a rest might not have its type attribute set (this happens, for example, with voices in Finale, where you don't manually insert a rest).



02e-Rests-NoType.xml



All note durations, from long, brevis, whole until 128th; First with their plain values, then dotted and finally doubly-dotted.

[illegible]

The first system of the musical score consists of two staves. The top staff is in treble clef and contains six measures with time signatures 8, 2, 3, 4, 4, and 5. The bottom staff is in treble clef and contains six measures with time signatures 16, 8, 4, 2, 2, and 16. The notes are as follows: Staff 1: Measure 1 (quarter note G), Measure 2 (rest), Measure 3 (quarter note G), Measure 4 (rest), Measure 5 (quarter note G), Measure 6 (rest). Staff 2: Measure 1 (quarter note G), Measure 2 (rest), Measure 3 (quarter note G), Measure 4 (rest), Measure 5 (quarter note G), Measure 6 (rest).



11 ... Time signatures

Various time signatures: 2/2 (alla breve), 4/4 (C), 2/2, 3/2, 2/4, 3/4, 4/4, 5/4, 3/8, 6/8, 12/8

11a-TimeSignatures.xml




A score without a time signature (but with a key and clefs)

11b-TimeSignatures-NoTime.xml



Compound time signatures with same denominator: $(3+2)/8$ and $(5+3+1)/4$.

11c-TimeSignatures-CompoundSimple.xml



Compound time signatures with separate fractions displayed: $3/8+2/8+3/4$ and $5/2+1/8$.

11d-TimeSignatures-CompoundMultiple.xml



Compound time signatures of mixed type: $(3+2)/8+3/4$.

11e-TimeSignatures-CompoundMixed.xml



A time signature of 3/8 with the symbol=" cut" attribute and two symbol="single-number" attributes with compound time signatures. Shall the symbol be ignored in this case?

11f-TimeSignatures-SymbolMeaning.xml



Time signature displayed as a single number.

11g-TimeSignatures-SingleNumber.xml



Senza-misura time signature


11h-TimeSignatures-SenzaMisura.xml



12 ... Clefs

Various clefs: G, C, F, percussion, TAB and none; some are also possible with transposition and on other staff lines than their default (e.g. soprano/alto/tenor/baritone C clefs); Each measure shows a different clef (measure 17 has the "none" clef), only measure 18 has the same treble clef as measure 1.

12a-Clefs.xml



A score without any key or clef defined. The default (4/4 in treble clef) should be used.

12b-Clefs-NoKeyOrClef.xml



Various key signature: from 11 flats to 11 sharps (each one first one measure in major, then one measure in minor)

Different Key signatures


The image displays a musical score for the song "The Sound of Silence" by Simon & Garfunkel. The score is written for a single melodic line in treble clef, 3/4 time, and B-flat major. It begins with a piano introduction consisting of six measures of chords. The first line of the verse starts at measure 7 and continues through measure 42, which is the end of the provided snippet. The melody is characterized by its iconic descending scale in the first line and the use of accidentals (sharps and naturals) to create the song's unique harmonic texture.

13b-KeySignatures-ChurchModes.xml

1. major minor ionian dorian phrygian lydian mixolydian aeolian locrian

Non-traditional key signatures, where each alteration is separately given. Here we have (f sharp, a flat, b flat) and (c flatflat, g sharp sharp, d flat, b sharp, f natural), where in the second case an explicit octave is given for each alteration.

13c-KeySignatures-NonTraditional.xml



Non-traditional key signatures with microtone alterations: (g flat-and-a-half, a flat, b half-flat, c natural, d half-sharp, e sharp, f sharp-and-a-half).


13d-KeySignatures-Microtones.xml



14 ... Staff attributes

The number of staff lines can be modified by using the staff-lines child of the staff-details attribute. This can happen globally (the first staff has one line globally) or during the part at the beginning of a measure and even inside a measure (the second part has 5 lines initially, 4 at the beginning of the second measure, and 3 starting in the middle of the third measure).

14a-StaffDetails-LineChanges.xml



21 ... Chorded notes

One simple chord consisting of two notes.

21a-Chord-Basic.xml




Some subsequent (identical) two-note chords.

21b-Chords-TwoNotes.xml




Some three-note chords, with various durations.

21c-Chords-ThreeNotesDuration.xml



Chords in the second measure, after several ornaments in the first measure and a p at the beginning of the second measure.

21d-Chords-SchubertStabatMater.xml



Check for proper chord detection after a pickup measure (i.e. the first beat of the measure is not aligned with multiples of the time signature)!

21e-Chords-PickupMeasures.xml



Between the individual notes of a chord there can be direction or harmony elements, which should be properly assigned to the chord (or the position of the chord).

21f-Chord-ElementInBetween.xml



22 ... Note settings, heads, etc.

Different note styles, using the <notehead> element. First, each note head style is printed with four quarter notes, two with filled heads, two with unfilled heads, where first the stem is up and then the stem is down. After that, each note head style is printed with a half note (should have an unfilled head by default). Finally, the Aiken note head styles are tested, once with stem up and once with stem down.

22a-Noteheads.xml



12

back slashed normal cluster none slash triangle diamond square

18

cross x circle-x inverted triangle arrow down arrow up slashed back slashed

22

normal cluster do re mi fa so

28

la ti do re mi fa so la ti do do re mi fa so la ti do

Staff-connected note styles: slash notation, hidden notes (with and without hidden staff lines)

22b-Staff-Notestyles.xml

1.slash, no stem slash, with stem normal settings restored

Different note styles for individual notes inside a chord, using the <notehead> element.

22c-Noteheads-Chords.xml

1. normal cross
2. triangle
3. slash

Parenthesized note heads. First, a single parenthesized note is tested, once with a normal and then with a non-standard notehead, then two chords with some/all parenthesized noteheads and finally a parenthesized rest.

22d-Parenthesized-Noteheads.xml

23 ... Triplets, Tuplets

Some tuplets (3:2, 3:2, 3:2, 4:2, 4:1, 7:3, 6:2) with the default tuplet bracket displaying the number of actual notes played. The second tuplet does not have a number attribute set.

23a-Tuplets.xml



Different tuplet styles: default, none, x:y, x:y-note; Each with bracket, slur and none. Finally, non-standard 4:3 and 17:2 tuplets are given.

23b-Tuplets-Styles.xml



Displaying tuplet note types, that might not coincide with the displayed note. The first two tuplets take the type from the note, the second two from the <time-modification> element, the remaining pair of tuplets from the <tuplet> notation element. The tuplets in measure 3 specify both a number of notes and a type inside the <tuplet-actual> and <tuplet-normal> elements, the ones in measure 4 specify only a note type (but no number), and the ones in measure 5 specify only a number of tuplet-notes (but no type, which is deduced from the note's type). The first tuplet of measures 3-5 uses 'display-type="actual"', the second one 'display-type="both"'.
 FIXME: The tuplet-normal should coincide with the real notes!

23c-Tuplet-Display-NonStandard.xml




Tuplets can be nested. Here there is a 5:2 tuplet inside a 3:2 tuple (all consisting of written eighth notes).

23d-Tuplets-Nested.xml



Tremolo tuplets are tuplets on single notes with a tremolo ornament. The application shall correctly import these notes with 2/3 or their time...

23e-Tuplets-Tremolo.xml



Some " triplets" on the end of the first and in the second staff, using only <time-modification>, but not explicit tuplet bracket. Thus, the duration of the notes in the second staff should be scaled properly in comparison to staff 1, but no visual indication about the triplets is given.

23f-Tuplets-DurationButNoBracket.xml



A grace note on a different staff than the actual note.

24e-GraceNote-StaffChange.xml



A grace note with a slur to the actual note. This can be interpreted as acciaccatura or appoggiatura, depending on the existence of a slash.

24f-GraceNote-Slur.xml



31 ... Dynamics and other single symbols

All <direction> elements defined in MusicXML. The lyrics for each note describes the direction element assigned to that note.

31a-Directions.xml

MusicXML directions (attached to staff)


1. reh.A (def=sq.) reh.B (none) reh.Test (sq.) reh.Crc (crc.)

2. Segno Coda Words Eyegl. p pp ppp pppp pppppppppppp f ff

5. fff fffff mp mf sf sfp sfpp fp rf rfz sfz sffz fz abc-ffz

fff ffff fffff fffff mp mf sf sfp sfpp fp rf rfz sfz sffz fz abc-ffz (oth.)

The image displays three staves of musical notation. The first staff shows four notes with direction elements: 'A' (square), 'B' (none), 'Test' (square), and 'Crc' (circle). The second staff shows notes with various dynamics: 'Segno', 'Coda', 'Words', 'Eyegl.', 'p', 'pp', 'ppp', 'pppp', 'pppppppppppp', 'f', and 'ff'. The third staff shows notes with various dynamics: 'fff', 'ffff', 'mp', 'mf', 'sf', 'sfp', 'sfpp', 'fp', 'rf', 'rfz', 'sfz', 'sffz', 'fz', and 'abc-ffz'. Below the third staff, there is a list of dynamics: 'fff', 'ffff', 'fffff', 'fffff', 'mp', 'mf', 'sf', 'sfp', 'sfpp', 'fp', 'rf', 'rfz', 'sfz', 'sffz', 'fz', and 'abc-ffz (oth.)'.

9 

hairpin cresc dash - es bra - cket oct. - shift pedal change - mark

12 

Metr. Harp ped. Damp Damp all Scord. Accordion reg. sub ppp crescto fff

Tempo Markings: note=bpm, text (note=bpm), note=note, (note=note), (note=bpm)

31c-MetronomeMarks.xml




32 ... Notations and Articulations


All <notation> elements defined in MusicXML. The lyrics show the notation assigned to each note.

32a-Notations.xml

MusicXML notations (attached to note)

1. 

1. ferm. normal ferm. angled ferm. square ferm.

2 


inv.ferm. arp. non-arp. acc.mark acc. str.-acc. stacc. ten.

4 


det.-leg. stacc.ss spicc. scoop plop doit falloff breath caes. stress unstr.

7 

tr. turn del.turn inv.turn shake wavy wavyline mord. inv.mord. schl. trem.

10 

turn+acc. turn+acc.(ab.+bel./rel to turn) up-b. down-b. harm. nat.harm.

12 


art.harm. nat.h./base nat.h./touching nat.h./sounding

13 

open-str. thumb-pos. empty fing. fing.1 fing.2 fing.3 fing.4 fing.5

15 


something fing.sth. mult.fing. empty pluck pluck a dbl.tng. trpl.tng. stopped snp.pizz.

17 

empty fret fret0 empty str. str. 5 hammer - on pull - off

19 

bend b.3 with-bar pre-b. -0.5 b. release 3.5 tap tap T heel toe

21 

fingern. f ppp sfp sfffz f ppp sfp Oth.dyn. both above ab./bel./bel.

Text markup: different font sizes, weights and colors.

32b-Articulations-Texts.xml

Normal, Small
Normal, Large
Normal, Medium


Bold, Medium
Bold, Large

It should not make any difference whether two articulations are given inside two different notation elements, inside two different articulations children of the same notation element or

inside the same articulations element. Thus, all three notes should have a staccato and an accent.

32c-MultipleNotationChildren.xml



Different Arpeggio directions (normal, up, down, non-arpeggiate)


32d-Arpeggio.xml



33 ... Spanners

Several spanners defined in MusicXML: tuplet, slur (solid, dashed), tie, wedge (cresc, dim), tr + wavy-line, single-note trill spanner, octave-shift (8va, 15mb), bracket (solid down/down, dashed down/down, solid none/down, dashed none/up, solid none/none), dashes, glissando (wavy), bend-alter, slide (solid), grouping, two-note tremolo, hammer-on, pull-off, pedal (down, change, up).

33a-Spanners.xml



Two simple tied whole notes

33b-Spanners-Tie.xml




A note can be the end of one slur and the start of a new slur. Also, in MusicXML, nested slurs are possible like in the second measure where one slur goes over all four notes, and another slur goes from the second to the third note.

33c-Spanners-Slurs.xml




All types of octave shifts (15ma, 15mb, 8va, 8vb)

33d-Spanners-OctaveShifts.xml



Invalid octave-shifts: 27 down, 11 up.

33e-Spanners-OctaveShifts-InvalidSize.xml



A trill spanner that spans a grace note and ends on an after-grace note at the end of the measure.

33f-Trill-EndingOnGraceNote.xml




Slurs on chorded notes: Only the first note of the chord should get the slur notation. Some applications print out the slur for all notes – these should be ignored.

33g-Slur-ChordedNotes.xml




All different types of glissando defined in MusicXML

33h-Spanners-Glissando.xml




1. normal glissando solid (+text) dashed dotted wavy normal slide



Several ties that have their end tag missing.

33i-Ties-NotEnded.xml



41 ... Multiple parts (staves)

A piece with four parts (P0, P1, P2, P3; different from what Finale creates!). Are they converted in the correct order?

41a-MultiParts-Partorder.xml



A piece with 20 parts to check whether an application supports that many parts and whether they are correctly sorted.

P0

P1

P2

P3

P4

P5

P6

P7

P8

P9

P10

P11

P12

P13

P14

P15

P16

P17

P18


P19

A huge orchestra score with 28 parts and different kinds of nested bracketed groups. Each part/group is assigned a name and an abbreviation to be shown before the staff. Also, most of the groups show unbroken barlines, while the barlines are broken between the groups.

Piccolo
 Flute 1
 Flute 2
 Oboe
 Oboe through English Horn
 Clarinet in Eb
 Clarinet in Bb 1
 Clarinet in Bb 2
 Bass Clarinet
 Bassoon 1
 Bassoon 2
 Contrabassoon
 Horn in F 1
 Horn in F 2
 Trumpet in C 1
 Trumpet in C 2
 Trombone 1
 Trombone 2
 Tuba
 Timpani
 Percussion
 Harp
 Piano
 Violin I
 Violin II
 Viola
 Cello
 Contrabass



Two properly nested part groups: One group (with a square bracket) goes from staff 2 to 4) and another group (with a curly bracket) goes from staff 3 to 4.

41d-StaffGroups-Nested.xml



Part names and abbreviations can contain line breaks.

41e-StaffGroups-InstrumentNames-Linebroken.xml



MusicXML allows for overlapping part-groups, while many applications do not allow overlapping groups, but require them to be properly nested. In this case, one group (within parenthesis) goes from staff 1 to 4 and another group (also within parenthesis) goes from staff 3 to 5.

41f-StaffGroups-Overlapping.xml

Group 1

Group 2

A part with no id attribute. Since this piece has only one part, it is clear which part is described by the one part element.

41g-PartNoId.xml

This piece has more part elements than the part-list section gives. One can either convert all the parts present, but not listed in the part-list, or simply not import / ignore them.

41h-TooManyParts.xml

MusicXML allows part-name and part-name-display in the score-part element. If part-name-display is given, it overrides the part-name for display.

The first staff uses only part-name, while the second one (same part-name) overrides it with a custom text. Similar for the part-abbreviation used in subsequent staves.

41i-PartNameDisplay-Override.xml

Part name

Overridden Part Name

2
abbrv.

Overr.abbrv.

42 ... Multiple voices per staff

Two voices share one staff. Each voice is assigned some lyrics.


42a-MultiVoice-TwoVoicesOnStaff-Lyrics.xml



1. This is the lyrics of Voice1
1. This is the lyrics of Voice2

A multi-voice / multi-staff part with a clef change in the middle of a measure and a <backward> for voice 2 jumping back beyond that clef change.

42b-MultiVoice-MidMeasureClefChange.xml



43 ... One part on multiple staves

A simple piano staff

43a-PianoStaff.xml




A piano staff with different keys and clefs for each of its staves. The keys and clefs for both staves are given at the very beginning of the measure.

43b-MultiStaff-DifferentKeys.xml




A piano staff with different keys and clefs for each of its staves. The key and clef for the second staff is given only after a backward, just before the first note of the second staff is given, but after the whole measure for staff 1 has been given.

43c-MultiStaff-DifferentKeysAfterBackup.xml




Staff changes in a piano staff. The voice from the second staff has some notes/chords on the first staff. The final two chords have some notes on the first, some on the second staff.

43d-MultiStaff-StaffChange.xml



A piano staff with dynamics and clef changes, where each element (ffff, wedge and clef changes) applies only to one voice or one staff, respectively.


43e-Multistaff-ClefDynamics.xml



45 ... Repeats


A simple, repeated measure (repeated 5 times)

45a-SimpleRepeat.xml



A simple repeat with two alternative endings (volta brackets).

45b-RepeatWithAlternatives.xml



Repeats can also be nested.

45c-RepeatMultipleTimes.xml




Nested repeats, each with alternative endings.

45d-Repeats-Nested-Alternatives.xml




Some more nested repeats with alternatives. The barline between measure 7 and 8 will probably be messed up! (Should be a repeat on both sides!)

45e-Repeats-Nested-Alternatives.xml




Some more nested repeats with alternatives, where the MusicXML file does not make sense in the first place. How well are applications able to cope with improper repeats and alternatives?

45f-Repeats-InvalidEndings.xml



A forward-repeating bar line without an ending repeat bar.


45g-Repeats-NotEnded.xml



46 ... Barlines, Measures

Different types of (non-repeat) barlines: default (no setting), regular, dotted, dashed, heavy, light-light, light-heavy, heavy-light, heavy-heavy, tick, short, none.

46a-Barlines.xml



Barlines can appear at mid-measure positions, without using an implicit measure!

46b-MidmeasureBarline.xml



A clef change in the middle of a measure, using either an implicit measure or simply placing the attributes in the middle of the measure.

46c-Midmeasure-Clef.xml



A 3/8 pickup measure, a measure that is split into one (incomplete, only 2/4) measure and an implicit measure, and an incomplete measure (containing 3/4).

46d-PickupMeasure-ImplicitMeasures.xml



Voice 2 should start at 2nd beat of first full measure.

46e-PickupMeasure-SecondVoiceStartsLater.xml




Measures can contain less notes than the time signature says. Here, the first and third measures contain only two quarters instead of four.

46f-IncompleteMeasures.xml



Pickup measure with chord names and figured bass.

46g-PickupMeasure-Chordnames-FiguredBass.xml



51 ... Header information

Several header fields and part names can contain quotes ("). This test checks whether they are converted/imported without problems (i.e. whether they are correctly escaped when converting).

51b-Header-Quotes.xml

" Quotes" in header fields

Some " Tester" Name



There can be multiple <rights> tags in the identification element of the score. The conversion shall still work, ideally using both of them.

51c-MultipleRights.xml



A piece with an empty (but existing) work-title, but a non-empty movement-title. In this case the movement-title should be chosen, even though the work-title exists.

51d-EmptyTitle.xml

Empty work-title, non-empty movement-title

Empty work-title, non-empty movement-title



52 ... Page layout

Several page layout settings: paper size, margins, system margins and distances, different fonts, etc.




52a-PageLayout.xml

Layout options



System and page breaks, given in a <print> element

52b-Breaks.xml



Some notes with simple lyrics: Syllables, notes without a syllable, syllable spanners.

Multiple (simple) lyrics. The order of the exported stanzas is relevant (identified by the number attribute in this test case)

Lyrics assigned to the voices of a piano staff containing two simple staves. Each staff is assigned exactly one lyrics line.

How to treat lyrics and slurred notes. Normally, a slurred group of notes is assigned only one lyrics syllable.

Assigning lyrics to chorded notes.


Grace notes shall not mess up the lyrics, and they shall not be assigned a syllable.

61f-Lyrics-GracedNotes.xml



A lyrics syllable can have both a number and a name attribute. The question is: What should be used to put syllables of the same voice together. This example uses different number/name combinations to check how different applications handle this unspecified case (The advice on the MusicXML mailing list was "there is no correct way, each application can do what it thinks is best").

61g-Lyrics-NameNumber.xml



Beaming or slurs can indicate melismata for lyrics. Also make sure that notes without an explicit syllable are treated as if they were part of a melisma.

61h-Lyrics-BeamsMelismata.xml



Each note of a chord can have some lyrics attached. In this case, each note of the chord has lyrics of the form "Lyrics [123]" attached, where each lyrics has a different number attribute to distinguish them. These syllables should be imported into three different stanzas and the timing should be correct.

61i-Lyrics-Chords.xml




Multiple lyrics syllables assigned to a single note are implemented either using a space in the lyrics or by using the <elision> lyrics element. This testcase checks both of them. First, a note with one syllable is given, then a note with two syllables separated by a space and finally a note with two and one with three syllables implemented using <elision> is given.

61j-Lyrics-Elisions.xml



Lyrics spanners: continued syllables and extenders, possibly spanning multiple notes. The intermediate notes do not have any <lyric> element.


61k-Lyrics-SpannersExtenders.xml



71 ... Guitar notation


A normal staff with several (complex) chord names displayed.

71a-Chordnames.xml




A staff with chord names and some fretboards shown. The fretboards can have an arbitrary number of frets/strings, can start at an arbitrary fret and can even contain fingering information.

71c-ChordsFrets.xml



Chords and fretboards assigned to the voices in a multi-voice, multi-staff part. There should be fret diagrams above each of the two staves.

71d-ChordsFrets-Multistaff.xml



Some tablature staves, with explicit fingering information and different string tunings given in the MusicXML file.

71e-TabStaves.xml

The image displays a musical score snippet for five instruments: Guitar, Bass Guitar, Banjo, Lute, and Ukulele. Each instrument is represented by two staves (Treble and Bass clef) with tablature notation. The notation includes fret numbers (0-24) and fingerings (1-5) written above the notes. The score is divided into two measures by a double bar line.

Instrument	Staff	Measure 1	Measure 2
Guitar	Treble	17 1	0 1
	Bass	5 2	4 5
Guitar	Treble	4 1	0 5
	Bass	3	2
Guitar	Treble	1 2	4 5
	Bass	2	0 6
Guitar	Treble	4	0 0 0
	Bass	5 0	0 0 0
Bass Guitar	Treble	0 0 8	0 0 0 0
	Bass	0	0 0 0 0
Banjo	Treble	3 0	0 0 0 0
	Bass	0	0 0 0 0
Lute	Treble	2 4 7	0 0 0
	Bass	1	0 0 0
Ukulele	Treble	4 0	0 0 0 0
	Bass	24 0	0 0 0 0

All chord types defined in MusicXML. The staff will only contain one c' note (NO chord) for all of them, but the chord names should be properly printed.

71f-AllChordTypes.xml

All MusicXML chord names/types with <root>

The image displays a musical score snippet showing chord names and types for C, C minor, C augmented, C diminished, C7, C major-seventh, Cm7, and C diminished-seventh. The notes are written on a staff with a treble clef and a common time signature.

Chord Name	Chord Type
C	major
C	minor
C ^{#5}	augmented
C ^{b5}	diminished
C ⁷	dominant
C [△]	major-seventh
Cm ⁷	minor-seventh
C ^{o7}	diminished-seventh

3 $C^{7\sharp 5}$ $C^{7\flat 5}$ Cm^{Δ} C^6
 augmented-seventh half-diminished major-minor major-sixth

4 Cm^6 C^9 $C^{\Delta 9}$ Cm^9
 minor-sixth dominant-ninth major-ninth minor-ninth

5 C^{11} $C^{\Delta 11}$ Cm^{11} C^{13}
 dominant-11th major-11th minor-11th dominant-13th

6 $C^{\Delta 13}$ Cm^{13} C^{sus2} C^{sus4}
 major-13th minor-13th suspended-second suspended-fourth

7 C^5 C
 Neapolitan Italians French German pedal power Tristan other

9 $F^{\sharp 5}$ $F^{\flat 5}/C$ $G^{\sharp 5}/D^{\sharp}$ C^5 $C^{\flat 5}$ $G^{sus\flat 2}$
 Inversion $F^{\flat\flat}/C$ G^{\sharp}/D^{\sharp} C $C-3+5b$

There can be multiple subsequent harmony elements, indicating a harmony change during a note

71g-MultipleChordnames.xml

C $F^{\sharp}m^6$ Dm^7 G^7



72 ... Transposing instruments

Transposing instruments: Trumpet in B \flat , Horn in E \flat , Piano; All of them show the C major scale (the trumpet with 2 sharp, the horn with 3 sharp).

Trumpet in Bb

Horn in Eb

Piano

The image shows three staves of music. The top staff is for a Trumpet in Bb, the middle for a Horn in Eb, and the bottom for a Piano. Each staff begins with a treble clef and a key signature of two sharps (F# and C#). The time signature is common time (C). Each staff contains a single note, which is a C note. The note is displayed on a different line of the staff for each instrument: the Trumpet in Bb note is on the second line (G4), the Horn in Eb note is on the third line (Bb4), and the Piano note is on the first line (C4). This illustrates how the same concert pitch can be written for different instruments with different transpositions.

Various transposition. Each part plays a c'', just displayed in different display pitches. The second-to-last staff uses a transposition where the displayed c' is an actual f''' concert pitch. The final staff is an untransposed instrument.

72b-TransposingInstruments-Full.xml

Clarinet in Eb

Clarinet in Bb

Clarinet in A

Horn in F

Horn in Eb

Piccolo Trumpet in A

Trumpet in Bb

Trumpet in C

Trumpet in D


displayed c'=fis'''
8

An instrument change from one transposition (Clarinet in Eb) to another transposing instrument (Clarinet in Bb). The displayed instrument name should also be updated.

The whole piece is in Bb major (sounding), so first the key signature should be one flat, after the change it should have no accidentals.

72c-TransposingInstruments-Change.xml

Clarinet in Eb



73 ... Percussion

Three types of percussion staves: A five-line staff with bass clef for Timpani, a five-line staff with percussion clef, and a one-line percussion staff with only unpitched notes.

73a-Percussion.xml



74 ... Figured bass

Some figured bass containing altered figures, bracketed figures and slashed figures. The last note contains an empty <figured-bass> element, which is invalid MusicXML, to check how well applications cope with malformed files.

Note that this file does not contain any extenders!


74a-FiguredBass.xml



75 ... Other instrumental notation

All possible accordion registrations.

75a-AccordionRegistrations.xml



90 ... Compressed MusicXML files

A compressed MusicXML file, containing a simple MusicXML score and the corresponding .pdf output for reference.

90a-Compressed-MusicXML.mxl


Compressed MusicXML file



99 ... Compatibility with broken MusicXML

Dolet 3 for Sibelius (5.1) did not print out any closing beam tags, only starting and continuing beam tags. For such files, one either needs to ignore all beaming information or close all beams

99a-Sibelius5-IgnoreBeaming.xml



If we properly ignore all beaming information from the Dolet 3 for Sibelius export file, make sure that the lyrics syllables are still assigned to the correct notes.

99b-Lyrics-BeamsMelismata-IgnoreBeams.xml

